


POSES


POSES: For the modular low voltage lighting system

TECHNICAL DATA : **LED DRIVER NOT INCLUDED**
24Vdc
LED DRIVER NON INCLUSO

- Use only with Class 2 power unit
- A n'utiliser qu'avec un led driver de classe 2



- THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE (NEC, ARTICLE 411) BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED
- CE PRODUIT DOIT ÊTRE INSTALLÉ SELON LE CODE D'INSTALLATION PERTINENT (NEC, ARTICLE 411, PAR UNE PERSONNE QUI CONNAÎT BIEN LE PRODUIT ET SON FONCTIONNEMENT AINSI QUE LES RISQUES INHÉRENTS



LEGGERE LE ISTRUZIONI GENERICHE PER L'INSTALLAZIONE DI TUTTI GLI APPARECCHI D'ILLUMINAZIONE.

READ GENERAL INSTRUCTIONS FOR INSTALLING ALL LIGHTS.

BITTE DIE ALLGEMEINE MONTAGEANLEITUNG FÜR ALLE LEUCHTEN LESEN.


LIRE LES INSTRUCTIONS GÉNÉRALES POUR L'INSTALLATION DE TOUS LES APPAREILS D'ÉCLAIRAGE.

LEER LAS INSTRUCCIONES GENERALES PARA LA INSTALACIÓN DE TODOS LOS APARATOS DE ILUMINACIÓN.

ЧИТАЙТЕ ОБЩИЕ ИНСТРУКЦИИ ПО МОНТАЖУ.


PAG. I + II

ACPOSES0451ONXX




LED 10.2W - 24Vdc
840lm* source

ACPOSES0821ONXX




LED 19.4W - 24Vdc
1640lm* source


ACPOSES1421ONXX




LED 33.5W - 24Vdc
2867lm* source




ACCAVINOX0300CR




ACPIEDINO07XXXX




ACPIEDINO22XXXX




ACCANOPYRE001




ACCANOPYTO001







ACCANOPYIN001BC (for recessed system)



ACBLOCCACAV01XX







COLLEGAMENTO ELETTRICO / ELECTRICAL CONNECTION

This section is valid for EU only -
This section is not valid for US-CAN certification

(L) Brown / Marrone / Marron /
Marrón / Braun / коричневый
(N) Blue / Blu / Blru / Azul / Blau /
синий
(+0/1) Red, Rosso, Rojo, Rouge,
Rot, красный
(-10) White / Bianco / Blanc /
Blanco / Weiß / белый




CABLAGGIO AL SECONDARIO / SECONDARY SIDE CONNECTION

(Nel caso di accorciamento del cavo vedi / If the cable is shortened see / Falls das Kabel verkürzt werden soll siehe / En cas de raccourcissement du composant câble voir/ En el caso de acortamiento del cable vea/ Если кабель укорочен, см. инструкции по подключению: WARNING!)
rispettare la polarità / respect the polarity / die richtige Polarität beachten / respecter la polarité / respetar la polaridad / соблюдать полярность


Collegare ad una adeguata alimentazione 24VDC / Connect to a suitable 24VDC supply







OPTIONAL LED DRIVER NOT INCLUDED

"Use only with Class 2 power unit." - "Utilisez uniquement avec l'unité d'alimentation de classe 2"



SE NON VENGONO RISPETTATE LE CORRETTE POLARITÀ DEI CAVI I LED SI DANNEGGIANO IRREPARABILMENTE.
IF YOU DON'T RESPECT THE RIGHT POLARITY OF THE WIRES THE LEDs WILL BE DAMAGED IN UNRECOVERABLE MANNER.
BEI ANSCHLU MIT FALSCHER POLARITÄT WERDEN DIE LED LUECHTMITTEL IRREPARABEL ZERSTÖRT.
SI LE POLARITÉ SERONT PAS RESPECTÉ LE LED SERONT ENDOMMAGÉ DE MANIER PERMANENT.
SI LAS POLARIDADES DE LOS CABLES NO SERAN RESPETADAS LOS LED SERÁN DAÑADOS PERMANENTEMENTE.
СВЕТОДИОДЫ ЧУВСТВИТЕЛЬНЫ К ПОЛЯРНОСТИ ЭЛЕКТРИЧЕСКОГО ТОКА, В СЛУЧАЕ НЕСОБЛЮДЕНИЯ ПОЛЯРНОСТИ СВЕТОДИОДЫ БУДУТ ПОВРЕЖДЕНЫ БЕЗВОЗВРАТНО





CABLAGGIO SECONDARIO / SECONDARY SIDE CONNECTION

(Nel caso di accorciamento del cavo vedi/If the cable is shortened see/Falls das Kabel verkürzt werden soll siehe/En cas de raccourcissement du composant câble voir/En el caso de acortamiento del cable vea/

Если кабель укорочен, см. инструкции по подключению: WARNING!)

rispettare la polarità / respect the polarity / die richtige Polarität beachten / respecter la polarité / respetar la polaridad / соблюдать полярность

collegare ad una adeguata alimentazione 24VDC / connect to a suitable 24VDC supply

- For the modular low voltage lighting system
- Pour le système modulaire d'éclairage basse tension
- OPTIONAL LED DRIVER NOT INCLUDED
- "Use only with Class 2 power unit"
- "Utilisez uniquement avec l'unité d'alimentation de classe 2"

Details of the maximum electrical configuration and electrical ratings.

- ACCAVOEL2X001xx: two poles (2x), one electric circuit max 96W.

- ACCAVOEL4X001xx: four poles (4x), two electric circuits max 96W/circuit.

Détails de la configuration électrique maximale et des caractéristiques électriques.


- ACCAVOEL2X001xx : deux pôles (2x), un circuit électrique max 96W.

- ACCAVOEL4X001xx : quatre pôles (4x), deux circuits électriques max 96W/circuit.



verificare i colori
di ogni polarità

check the colors
of each polarity



ACCANOPYIN001



SE NON VENGONO RISPETTATE LE CORRETTE POLARITÀ DEI CAVI I LED SI DANNEGGIANO IRREPARABILMENTE.

IF YOU DON'T RESPECT THE RIGHT POLARITY OF THE WIRES THE LEDs WILL BE DAMAGED IN UNRECOVERABLE MANNER.



BEI ANSCHLU MIT FALSCHER POLARITÄT WERDEN DIE LED LUECHTMITTEL IRREPARABEL ZERSTÖRT.

SI LE POLARITÉ SERONT PAS RESPECTÉ LE LED SERONT ENDOMMAGÉ DE MANIER PERMANENT.





SI LAS POLARIDADES DE LOS CABLES NO SERAN RESPETADAS LOS LED SERÁN DAÑADOS PERMANENTEMENTE.


СВЕТОДИОДЫ ЧУВСТВИТЕЛЬНЫ К ПОЛЯРНОСТИ ЭЛЕКТРИЧЕСКОГО ТОКА, В СЛУЧАЕ НЕСОБЛЮЖДЕНИЯ ПОЛЯРНОСТИ СВЕТОДИОДЫ БУДУТ ПОВРЕЖДЕНЫ БЕЗВОЗВРАТНО.

24 VDC



ACCANOPYIN001





CABLAGGIO SECONDARIO / SECONDARY SIDE CONNECTION

SE NON VENGONO RISPETTATE LE CORRETTE POLARITÀ
DEI CAVI I LED SI DANNEGGIANO IRREPARABILMENTE.



IF YOU DON'T RESPECT THE RIGHT POLARITY OF THE
WIRES THE LEDS WILL BE DAMAGED IN UNRECOVERABLE
MANNER.



BEI ANSCHLU MIT FALSCHER POLARITÄT WERDEN DIE
LED LUECHTMITTEL IRREPARABEL ZERSTÖRT.




SI LE POLARITÉ SERONT PAS RESPECTÉ LE LED SERONT
ENDOMMAGÉ DE MANIER PERMANENT.



SI LAS POLARIDADES DE LOS CABLES NO SERAN RESPE-
TADAS LOS LED SERÁN DAÑADOS PERMANENTEMENTE.


СВЕТОДИОДЫ ЧУВСТВИТЕЛЬНЫ К ПОЛЯРНОСТИ
ЭЛЕКТРИЧЕСКОГО ТОКА, В СЛУЧАЕ НЕСОБЛЮДЕНИЯ
ПОЛЯРНОСТИ СВЕТОДИОДЫ БУДУТ ПОВРЕЖДЕНЫ
БЕЗВОЗВРАТНО.











CABLAGGIO SECONDARIO / SECONDARY SIDE CONNECTION

SE NON VENGONO RISPETTATE LE CORRETTE POLARITÀ
DEI CAVI I LED SI DANNEGGIANO IRREPARABILMENTE.

IF YOU DON'T RESPECT THE RIGHT POLARITY OF THE
WIRES THE LEDS WILL BE DAMAGED IN UNRECOVERABLE
MANNER.




BEI ANSCHLU MIT FALSCHER POLARITÄT WERDEN DIE
LED LUECHTMITTEL IRREPARABEL ZERSTÖRT.

SI LE POLARITÉ SERONT PAS RESPECTÉ LE LED SERONT
ENDOMMAGÉ DE MANIER PERMANENT.



SI LAS POLARIDADES DE LOS CABLES NO SERAN RESPE-
TADAS LOS LED SERÁN DAÑADOS PERMANENTEMENTE.


СВЕТОДИОДЫ ЧУВСТВИТЕЛЬНЫ К ПОЛЯРНОСТИ
ЭЛЕКТРИЧЕСКОГО ТОКА, В СЛУЧАЕ НЕСООБЛЮДЕНИЯ
ПОЛЯРНОСТИ СВЕТОДИОДЫ БУДУТ ПОВРЕЖДЕНЫ
БЕЗВОЗВРАТНО.

ACBLOCCACAV01XX
ACSAT01XXXXXX (1 hole)
ACCAVOEL2X001XX
ACPOSES0451ONXX
ACPOSES0821ONXX
ACPOSES1421ONXX




The side without ACBLOCCACAV01XX






Only for EU market - Not for US/CAN market



LED DRIVER POWER	CODE	POWER OF THE LIGHT SOURCE	QUANTITY
40W	ACPOSES04510N	10,2W	3
40W	ACPOSES08210N	19,4W	1
40W	ACPOSES14210N	33,5W	1
75W	ACPOSES04510N	10,2W	6
75W	ACPOSES08210N	19,4W	3
75W	ACPOSES14210N	33,5W	2
80W	ACPOSES04510N	10,2W	7
80W	ACPOSES08210N	19,4W	3
80W	ACPOSES14210N	33,5W	2
100W	ACPOSES04510N	10,2W	9
100W	ACPOSES08210N	19,4W	4
100W	ACPOSES14210N	33,5W	2

OPTION OF COMBINATION			
LED DRIVER POWER	CODE	POWER OF THE LIGHT SOURCE	QUANTITY
40	ACPOSES04510N	10,2W	1
	ACPOSES08210N	19,4W	1
75	ACPOSES04510N	10,2W	1
	ACPOSES08210N	19,4W	1
	ACPOSES14210N	33,5W	1
80	ACPOSES04510N	10,2W	2
	ACPOSES08210N	19,4W	1
	ACPOSES14210N	33,5W	1
100	ACPOSES04510N	10,2W	2
	ACPOSES08210N	19,4W	2
	ACPOSES14210N	33,5W	1





- I** **ATTENZIONE!** Collegare l'alimentatore alla rete elettrica soltanto dopo avere completato l'installazione degli apparecchi.
- GB** **CAUTION!** Connect Power supply unit to main electricity network only once installation is completed.
- F** **ATTENTION!** Connectez l'alimentation électrique au réseau électrique principal une fois que l'installation est terminée.
- D** **ACHTUNG!** Schließen Sie das Netzteil nur dann an das Stromnetz an, wenn die Installation abgeschlossen ist.
- E** **ATENCION!** Conecte la fuente de alimentación a la red eléctrica principal sólo una vez que se complete la instalación.